Greene, W. E., Applications of magnetic amplifiers ..... p 124, Sept
Grignon, L. D., Three-band variable equalizer ..... p 112, Jan
Gucker, F. T., Jr., Sensitive photoelectric photometer ..... p 106, July
Guenther, J. H., and W. M. Jurek, Automatic gain control and limiting amplier ..... p 94, Sept
Haeff, A. V., A memory tube ..... p 80, Sept
Halliday, E. C., F. Anderson, and E. O. Garnett, Aptitude tester for garment workers ..... p 90, Sept
Harries, J. O., Transit-angle suppression in microwave tubes .. p 132, June
Heeren, V. L., and others, Telemetering from V-2 rockets .... p 100, Mar
Heeren, V. L., and others, Telemetering from rockets ..... p 124, Apr
Helber, C. A., Improving stability of uhf oscillators ..... p 103, May
Helterline, L., Diode-controlled voltage regulators ..... p 96, June
Hemstreet, H. S., and R. G. Hill, Extending frequency range of pen-type recorders ..... p 164, Aug
Henney, K., Nucleonics and electronics ..... p 80, June
Henney, K., The roots of electronics ..... p 100, June-15
Henvis, B. M., Wavelengths of sound ..... p 134, Mar
Herrick, J. F., and H. M. Wagner, Self-switching r-f amplifier ... p 128, June
Hershey, L. M., N. W. Aram, and M. Hobbs, F-m reception problems and their solutions ..... p 108, Sept
Hershfield, S., Tapered coaxial junctions ..... p 146, Dec
Hill, R. G., and H. S. Hemstreet, Extending frequency range of pen-type recorders ..... p 164, Aug
Hills, E. G., Impedance measurements at vhf ..... p 124, July
Hings, D. L., Noise-free code reception ..... p 125, June
Hoag, O., Power supply for microwave equipment ..... p 110, Feb
Hobbs, M., N. W. Aram, and L. M. Hershey, F-m reception problems and their solutions ..... p 108, Sept
Hoeppner, C. H., and others, Telemetering from V-2 rockets .... p 100, Mar
Hoeppner, C. H., and others, Telemetering from rockets ..... p 124, Apr
Hofstadter, R., R. W. Treharne, and J. A. Kammerer, Rate of change meter ..... p 106, May
Hollis, W. C., Design of transmission line tank circuits ..... p 130, May
Hollis, W. C., Transmitter for the citizens radio service ..... p 84, Nov
Holmes, J. H., J. R. Cooney, A. B. Shone, I. Gelles, and A. Montani, Infrasonic switching ..... p 174, Aug
Hopkins, A. F., Jr., and F. A. Smith, Radio controlled buoys ..... p 84, Jan
Hopkins, R. J., Overvoltage testing of capacitors ..... p 105, June
Howland, B., Scale of N counting circuits ..... p 138, July
Hudson, A. C., Efficiency of inductive coupling ..... p 128, Dec
Jarman, V. G., Tube production techniques ..... p 160, Oct
Jenks, F. A., Simplified microwave afc—Part I, p 120, Nov; Part II p 132, Dec
Jordan, E. C., and W. E. Miller, Slotted-cylinder antenna ..... p 90, Feb
Jurek, W. M., and J. H. Guenther, Automatic gain control and limiting amplifier ..... p 94, Sept
Kallmann, H. E., Standing wave meter ..... p 96, Jan
Kammerer, J. A., R. W. Treharne, and R. Hofstadter, Rate of change meter ..... p 106, May
Kasner, E., Tachometric audio-frequency meter ..... p 121, Feb
Katchky, M., and H. LeCaine, Microwave antenna beam evaluator .. p 116, Aug
Kauke, J. R., and others, Telemetering from V-2 rockets ..... p 100, Mar
Kauke, J. R., and others, Telemetering from rockets ..... p 124, Apr
Kendig, P. M., and E. A. Walker, Acoustic locating system ..... p 124, Feb
Kees, H., and F. Gehres, Cavity aircraft antenna ..... p 78, Jan
Kiernan, E. F., Telemetering fathometer ..... p 96, Oct
Kinn, T. P., and J. Marcum, Heating with microwaves ..... p 82, Mar
Klemperer, H., and R. Briggs, Precision energy-storage spot welder p 102, June
Kline, M. B., Cathode-follower nomograph for triodes ..... p 136, May
Kline, M. B., Cathode-follower nomograph for pentodes ..... p 136, June
Kline, M. B., Cathode-follower impedance nomograph ..... p 130, July
Klippel, K. L., and E. A. Dahl, Railway entertainment system .p 118, May
Klotz, I. M., and M. Dole, Automatic recording ultraviolet photometer p 140, Feb
Koontz, P., and E. Dilatush, Voltage-regulated power supplies .. p 119, July
Korff, S. A., Electronic techniques in nuclear science ..... p 80, Dec
Kornei, O., Frequency response of magnetic recording ..... p 124, Aug
Krauss, H. L., Graphical solutions for cathode followers ..... p 116, Jan
Kraus, J. D., Helical beam antenna ..... p 109, Apr
Krebs, R. P., and T. Dallan, Constant-gain knock pickup amplifier p 87, Jan
Lafferty, R. E., Voltmeter loading .. p 132, Nov
Laport, E. A., Radio frequency vs. utility ..... p 106, June-15
Lebenbaum, M. T., Wide-band i-f amplifiers above 100 mc ..... p 138, Apr
LeCaine, H., and M. Katchky, Microwave antenna beam evaluator p 116, Aug
Lichtman, S., and others, Telemetering from V-2 rockets .... p 100, Mar
Lichtman, S. W., and others, Telemetering from rockets ..... p 124, Apr
Licklider, J. C. R., and E. B. Newman, Static for radio receiver tests ..... p 98, June
Lohr, L. A., Db gain-loss calculator p 134, Feb
Ludwig, J., Electronic computer for printing control ..... p 108, Nov
MacIlvain, K. L., Telephone recording ..... p 89, Aug
Malling, L. R., Vhf transmitter power measurements ..... p 158, Feb
Maloff, I. G., Pulsed rectifiers for television receivers ..... p 110, Aug
Malraison, P. J., Temperature control for octane tests ..... p 99, Nov
Marcum, J., and T. P. Kinn, Heating with microwaves ..... p 82, Mar
Markus, J., Electronic applications p 102, June-15
Marshall, D. E., and W. W. Rigrod, Characteristics of resistance ignitors ..... p 122, May
Mather, N. W., Clipping and clamping circuits ..... p 111, July
McKenzie, A. A., and F. Rockett, Applications of sonic and ultrasonic vibrations ..... p 140, June-15
McNeight, S. A., C. I. Bradford, and B. L. Weller, Printed vitreous enamel components ..... p 106, Dec
McPeak, F. C., and N. D. Webster, Experiments in listening ..... p 90, Apr
Menzies, E. B., Method of plotting tracking error ..... p 128, Jan
Michael, F. R., Tube failures in ENIAC ..... p 116, Oct
Miller, F., Central signal generator for production testing ..... p 100, July
Miller, W. E., and E. C. Jordan, Slotted-cylinder antenna ..... p 90, Feb
Montani, A., J. R. Cooney, J. H. Holmes, A. B. Shone, and I. Gelles, Infrasonic switching ... p 174, Aug
Moore, D. W., Jr., Electronic position pickup ..... p 100, Jan
Moran, R. B., Jr., Spiral sweep oscilloscope timer ..... p 120, Oct
Morse, P. W., and H. E. Revercomb, Uhf heating of frozen foods ..... p 85, Oct
Musselman, G. H., Ionosphere equipment for field use ..... p 112, May
Nelson, E. W., Electronically controlled permanent wave machine p 140, Nov
Newman, E. B., and J. C. R. Licklider, Static for radio receiver tests ..... p 98, June
Norton, R. L., B. O. Ballou, and R. H. Chamberlin, KSBR's 50-kw f-m transmitter ..... p 80, Oct
O'Brien, B. C., and F. L. Sherwood, Phase monitor for broadcast arrays p 109, Dec
Olson, H. F., Audio noise reduction circuits ..... p 118, Dec
Olson, H. F., Frequency range preference for speech and music .... p 80, Aug
Pain, D. H., International plan for air navigation ..... p 80, Feb
Parliman, J. H., Low-loss plastic insulation materials ..... p 116, June-15
Person, R. R., and T. A. Rich, Automatic Opinion Meter ..... p 142, Dec
Petrides, T., Variable time constant p 138, Oct
Peyser, W. P., and O. H. Schmitt, Aircraft antenna pattern plotter p 88, May
Pihl, G., Measuring complex components of voltage ..... p 128, Feb
Plautz, A. C., and E. L. Deeter, Automatic control of battery charging ..... p 156, May
Ranger, R. H., Magnetic tape recorder for movies and radio ..... p 99, Oct
Rauch, L. L., Electronic communication for telemetering ..... p 114, Feb
Revercomb, H. E., and P. W. Morse, Uhf heating of frozen foods ..... p 85, Oct
Rich, T. A., and R. R. Person, Automatic Opinion Meter ..... p 142, Dec
Rigrod, W. W., and D. E. Marshall, Characteristics of resistance ignitors ..... p 122, May
Riley, G., Emergency Broadcast pickup techniques ..... p 108, May
Roberts, H. C., Carrier-type amplifier for electric gages ..... p 92, May
Robinson, A. K., FCC frequency measurement techniques ..... p 114, June
Rockett, F., Modulation types and characteristics ..... p 124, June-15
Rockett, F., and A. A. McKenzie, Applications of sonic and ultrasonic vibrations ..... p 140, June-15
Rockett, F., Books about electronics ..... p 142, June-15
Roper, C. G., and J. F. Engelberger, Electromechanical d-c amplifier .. p 117, Nov
Roush, R. G., Tone burst generator p 92, July
Rubenstein, J. H., Electronic magnetometer ..... p 156, Jan
Rubin, M. D., Steepness of pulse fronts ..... p 136, Sept
Scal, R. K. F., Cathode-coupled half-shot multivibrator ..... p 150, Sept
Schmitt, O. H., and W. P. Peyser, Aircraft antenna pattern plotter p 88, May
Scott, H. H., Dynamic noise suppressor ..... p 96, Dec
Sharpless, T. K., Design of mercury delay lines ..... p 124, Nov
Shepard, W. G., High-gain d-c amplifier ..... p 138, Oct
Sherbin, L. E., Waveguide Data .. p 122, Jan
Sherwood, F. L., and B. C. O'Brien, Phase monitor for broadcast arrays p 109, Dec
Shifflett, P. R., and others, Telemetering from V-2 rockets .... p 100, Mar
Shifflett, P. R., and others, Telemetering from rockets ..... p 124, Apr
Shone, A. B., J. R. Cooney, J. H. Holmes, I. Gelles, and A. Montani, Infrasonic switching ..... p 174, Aug
Simon, A. W., Tracking the permeability-tuned circuits ..... p 142, Nov
Sivertsen, J., Electrolytic integrating tube ..... p 92, June
Smith, A. H., Hum-reducing circuit p 130, Jan
Smith, A. H., Automatic audio phase reverser ..... p 156, Nov
Smith, F. A., and A. F. Hopkins, Jr., Radio controlled buoys ..... p 84, Jan
Smith, O. J. M., Beta-ray thickness gage for sheet steel ..... p 106, Oct
Smith, W. B., Recording sky-wave signals from broadcast stations .. p 112, Nov
Smitley, C. R., and R. E. Graber, Electronic switch for the production of pulses ..... p 128, Apr
Smitley, C. R., General purpose portable amplifier ..... p 150, Oct
Stephenson, J. G., Reversible-motor controller ..... p 93, Sept
Sterling, H. T., Diode contact potential for negative bias ..... p 164, Oct
Storm, H. F., Production testing of tachometers ..... p 92, Mar
Squier, R. T., Cathode-ray compass p 121, Apr
Talley, B. B., Peacetime radar .... p 113, Oct
Thompson, N. T., and E. W. Cousins, Measuring pressures of industrial explosions ..... p 90, Nov
Thornton, R. E., Carrier failure alarm ..... p 142, Jan
Toth, E., Soldering litz ends .... p 158, Apr
Toth, E., High-fidelity reproduction of music ..... p 108, June
Traub, E., and W. E. Bradley, A new television projection system p 84, Sept
Treharne, R. W., J. A. Kammerer, and R. Hofstadter, Rate of change meter ..... p 106, May
Triem, W. R., Portable inductive radiophone ..... p 93, Dec
Tuller, W. G., and T. P. Cheatham, Jr., Adjustable-bandwidth f-m discriminator ..... p 117, Sept
Villard, O. G., Jr., Overmodulation without sideband splatter ..... p 90, Jan
Vladimir, L. O., Permeability tuning of broadcast receivers ..... p 94, Aug
Wagner, H. M., and J. F. Herrick, Self-switching r-f amplifier ... p 128, June
Waidelich, D. L., Analysis of full-wave rectifier and capacitive-input filter ..... p 120, Sept
Walker, E. A., and P. M. Kendig, Acoustic locating system ..... p 124, Feb
Wannamaker, W. H., Jr., Vane-actuated controller ..... p 117, June
Webking, H. E., Producing tube curves on an oscilloscope ..... p 128, Nov
Webster, N. D., and F. C. McPeak, Experiments in listing ..... p 90, Apr
Weiss, W. I., Variable-frequency stimulator for electrophysiology .. p 182, Oct
Welch, H. W., and H. C. Early, Self-regulating field excitation for magnetrons ..... p 184, Jan
Weller, B. L., C. I. Bradford, and S. A. McNeight, Printed vitreous enamel components ..... p 106, Dec
Welz, W. C., and C. B. Aiken, D-C amplifier for low-level signals .. p 124, Oct
Wheeler, G. J., Shielding filters for insertion loss measurements ... p 198, Mar
Wheeler, H. A., R-F induction meter p 105, Sept
Whitehead, J. W., Frequency meter for 50 to 600 mc ..... p 148, Apr
Whitman, M. R., Measuring high potentials ..... p 172, Apr
Wild, J. J., Predetermined counters p 120, Mar
Wilson, G. P., Calibrating laboratory standards against WWV ..... p 190, Feb
Witcher, C. M., Circuit analyser for the blind ..... p 132, Sept
Wolf, L. J., Triplex antenna for television and f-m ..... p 88, July
Woodward, O. M., Jr., Comparator for coaxial line adjustment .... p 116, Apr
Zink, A. J., Jr., Stability of crystal oscillators ..... p 127, May

electronics

JANUARY · 1947

A McGRAW-HILL PUBLICATION



FOR THE BROADCAST STATION
THE HIGH FIDELITY AMPLIFIER
THE LABORATORY

LINEAR STANDARD



Linear Standard audio units are the closest approach to the ideal component from the standpoint of frequency response, wave form distortion, efficiency, shielding, and dependability. Guaranteed response ± 1.3 DB, 20—20,000 cycles. The standard of the broadcast industry . . . units available for every audio and power application.

ULTRA COMPACT

For compact, high fidelity equipment, UTC Ultra Compact units are unequalled. Light in weight, yet providing frequency response ± 2 DB from 30 to 20,000 cycles. All units except those carrying DC in primary employ true hum balancing coil structure which, combined with high conductivity outer case, insures good inductive shielding. Units available for all audio applications up to + 10 DB in operating level.

INTERSTAGE FILTERS



UTC Interstage Filters (10,000 ohms impedance) are available in low pass (LPI), high pass (HPI), and band pass (BPI) types for all frequencies from 200 to 10,000 cycles. Designed to effect 6 DB loss at cutoff frequency . . . 35 DB at .75 and 1.5 times cutoff frequency . . . 40 DB at .5 and twice cutoff frequency. Dual alloy magnetic shielding reduces pickup to 150 Mv. per gauss.

VARITRAN

Varitran units provide an ideal means of voltage control for AC equipment. Performance features include high efficiency . . . excellent regulation . . . universal mounting features . . . self-contained fuse protection. Available in 115 volt and 230 volt models with from 1 to 11 Amp. output rating. These units afford stepless adjustment of voltage from 0 to 113% of line voltage.

United Transformer Corp.

150 VARICK STREET • NEW YORK 13, N. Y.

EXPORT DIVISION: 13 EAST 40th STREET, NEW YORK 16, N. Y. CABLES: "ARLAB"

electronics

A McGRAW-HILL PUBLICATION

JANUARY • 1947

RAILROAD RADIO GOES TO SEA ..... Cover
Bendix vhf equipment in operation aboard a C & O tug at Newport News

TWO SYSTEMS OF COLOR TELEVISION, by Donald G. Fink 72
Relative merits of the CBS and RCA sequential and simultaneous transmission schemes

CAVITY AIRCRAFT ANTENNA, by H. Kees and F. Gehres 78
Wind resistance and precipitation static are minimized by recessing a receiving element

MODERN GEIGER-MULLER COUNTERS, by A. Graves 80
New circuit for detecting atomic particles indicates rate of count directly or gives total count

RADIO CONTROLLED BUOYS, by A. F. Hopkins, Jr. and F. A. Smith 84
Special receiver turns lights on and off in response to coded supersonic subcarriers

CONSTANT-GAIN KNOCK PICKUP AMPLIFIER, by R. P. Krebs and T. Dallas 87
Provides flat frequency response from 8 to 20,000 cycles for reproducing engine knock patterns

OVERMODULATION WITHOUT SIDEBAND SPLATTER, by Oswald G. Villard, Jr. 90
Technique for producing modulation greater than 100 percent without distorting the sidebands

STANDING WAVE METER, by Heinz E. Kallmann 96
Discontinuities in a microwave transmission system are automatically measured

ELECTRONIC POSITION PICKUP, by David Wm. Moore, Jr. 100
Output voltage varying linearly in phase as an instrument pointer moves is obtained

CARRIER-DIFFERENCE RECEPTION OF TELEVISION SOUND, by R. B. Dome 102
Using single i-f and local oscillator simplifies receiver tuning

RADIO CONTROL FOR MODEL BATTLESHIP, by G. C. Fitzgerrell 106
Narrow-deviation f-m transmitter with five subcarrier frequencies controls drive motor, rudder, and guns

THREE-BAND VARIABLE EQUALIZER, by L. D. Grignon 112
Provides independent control of gain or attenuation in 1-db steps for low, high, and mid-frequency audio bands

GRAPHICAL SOLUTIONS FOR CATHODE FOLLOWERS, by Herbert L. Krauss 116
Cathode-follower circuits using load line drawn on curves are compared with plate-loaded amplifiers

WAVEGUIDE DATA, by Leonard E. Sherbin 122
Dimensions and performance curves for rectangular copper waveguides covering entire microwave spectrum

ELECTRONIC HEATING REQUIREMENTS, by A. P. Beck 126
Power required to heat materials by induction or dielectric means is given in simple graphical form

		BUSINESS BRIEFS	66		
CROSSTALK	71	ELECTRON ART	166	NEW BOOKS	256
TUBES AT WORK	128	NEW PRODUCTS	194	BACKTALK	264
INDUSTRIAL CONTROL	152	NEWS OF THE INDUSTRY	238	INDEX TO ADVERTISERS	275

DONALD G. FINK, *Editor*; **KEITH HENNEY**, *Consulting Editor*; W. W. MacDonald, *Managing Editor*; John Markus, Vin Zeluff, *Associate Editors*; Frank Rockett, A. A. McKenzie, *Assistant Editors*; Gladys T. Montgomery, *Washington Editor*; William P. O'Brien, *Make-up Editor*; Jeanne E. Grolimund, *Editorial Assistant*; Harry Phillips, *Art Director*; Eleanore Luke, *Art Assistant*

H. W. MATEER, *Publisher*; **WALLACE B. BLOOD**, *Manager*; J. E. Blackburn, Jr., *Director of Circulation*; Dexter Keezer, *Director, Economics Department*; John Chapman, *World News Director*; D. H. Miller, H. R. Denmead, Jr., *New York*; Ralph H. Flynn, H. D. Randall, Jr., *New England*; F. P. Coyle, R. E. Miller, *Philadelphia*; C. D. Wardner, *Chicago*; E. J. Smith, *Cleveland*; J. W. Otterson, *San Francisco*; Roy N. Phelan, *Los Angeles*; Ralph C. Maultsby, *Atlanta*

Contents Copyright, 1947, by McGraw-Hill Publishing Company, Inc. All Rights Reserved. McGRAW-HILL PUBLISHING COMPANY INCORPORATED, JAMES H. McGRAW, Founder and Honorary Chairman • PUBLICATION OFFICE 99-129 North Broadway, Albany 1, N. Y., U. S. A. EDITORIAL AND EXECUTIVE OFFICES 330 West 42nd St., New York 18, N. Y., U. S. A.—Member A. B. P. Member A. B. C.

James H. McGraw, Jr., President; Curtis W. McGraw, Senior Vice-President and Treasurer; Nelson Bond, Director of Advertising; Eugene Duffield, Editorial Assistant to the President; Joseph A. Gerardi, Secretary; and J. E. Blackburn, Jr., Vice-President for circulation operations.
ELECTRONICS, January, 1947, Vol. 20; No. 1. Published monthly, with an additional issue in June, price 75c a copy. Directory issue $1.00. Allow at least ten days for change of address. All communications about subscriptions should be addressed to the Director of Circulation.
Subscription rates—United States and possessions, $6.00 a year, $9.00 for two years, $12.00 for three years. Canada (Canadian funds accepted) $7.00 a year, $11.00 for two years, $14.00 for three years. Pan American countries $10.00 for one year, $16.00 for two years, $20.00 for three years. All other countries $15.00 for one year, $30.00 for three years. Please indicate position and company connection on all subscription orders. Entered as Second Class matter August 29, 1936, at Post Office, Albany, New York, under the Act of March 3, 1879. BRANCH OFFICES: 520 North Michigan Avenue, Chicago 11, Ill.; 68 Post Street, San Francisco 4; Aldwych House, Aldwych, London, W.C. 2; Washington, D. C. 4; Philadelphia 2; Cleveland 15; Detroit 26; St. Louis 8; Boston 16; Atlanta 3, Ga.; 621 So. Hope St., Los Angeles 14; 738-9 Oliver Building, Pittsburgh 22.

Use these data WHEN YOU *Choose* FLUORESCENT LAMP *Capacitors*

Tobe Fluorescent Lamp Capacitors embody [illegible] features to meet exacting conditions of high ambient temperatures, low power factor, stable performance, accurate capacitance ratings, and limited space requirements.

For consistent long life in power factor correction service, these specifications cannot be compromised.

Mechanical

Impregnation: mineral oil.
Case: hermetically sealed with corrosion-resistant finish.
Terminals: solder-lug terminals riveted to phenolic bushings.
Terminal Seal: leakproof terminal assembly.
Markings: type number, voltage rating, and capacitance rating ink-stamped on case.

Electrical

Winding: non-inductive.
Capacitance Tolerance: ± 10% or to specification.
Power Factor: less than ¾ of 1% (at 60 cycles).
Operating Temperature: minus 40C to plus 85C.
Life Test Performance: minimum of 1000 hours at 140% of rated voltage at 85C.

ROUND TYPE

VOLTS A-C	TYPE NO.	MFD.	DIA.	VOLTS A-C	TYPE NO.	MFD.	DIA.
330	FCR-332-5	2.5	2-1/32	330	FCR-334	4.0	2-7/32
330	FCR-333	3.0	2-1/32	440	FCR-441-5	1.5	2-1/32
330	FCR-333-5	3.5	2-1/32	440	FCR-442	2.0	2-1/32

OVAL TYPE

VOLTS A-C	TYPE NO.	MFD.	HEIGHT	VOLTS A-C	TYPE NO.	MFD.	HEIGHT
220	FCO-223-5	3.5	3-7/8	330	FCO-333	3.0	3-5/8
220	FCO-223-75	3.75	4-1/8	330	FCO-333-5	3.5	3-7/8
220	FCO-224	4.0	4-3/8	330	FCO-333-75	3.75	4-1/8
220	FCO-224-5	4.5	4-7/8	330	FCO-334	4.0	4-3/8
220	FCO-224-75	4.75	4-7/8	330	FCO-334-25	4.25	4-5/8

TOBE

TOBE DEUTSCHMANN *Corporation* CANTON, MASSACHUSETTS